

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office AUG 15 1997

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed AUG 18 1997 under 63341

\*\*\*\*\*

The applicant CLINTON REED HOLT, hereby makes application for permission to change the POINT OF DIVERSION AND PLACE OF USE of a portion of water heretofore appropriated under APPLICATION 22557 Book 24 Certificate 7555

\*\*\*\*\*

1. The source of water is Underground
2. The amount of water to be changed 25.76 Acre Feet .1087 c.f.s.
3. The water to be used for Irrigation and Domestic
4. The water heretofore permitted for Irrigation and Domestic
5. The water is to be diverted at the following point within the NW $\frac{1}{4}$  of the NE $\frac{1}{4}$  of Sec. 11, T5N, R66E, M.D.M., at a point from which the East  $\frac{1}{4}$  Corner of said Section 11 bears S 45° 53' 30" E a distance of 3,455.21 feet. (Lincoln Co.)
6. The existing permitted point of diversion is located within within the SE $\frac{1}{4}$  of the NW $\frac{1}{4}$  of Sec. 29, T6N, R66E, M.D.M., at a point from which the East  $\frac{1}{4}$  Corner of said Section 29 bears S 65° 19' 00" E a distance of 2,939.30 feet. (Lincoln Co.)
7. Proposed place of use the NE $\frac{1}{4}$  NE $\frac{1}{4}$  (40 ac.), and the NW $\frac{1}{4}$  NE $\frac{1}{4}$  (40 ac.), Section 11, T5N, R66E, M.D.M., and the S $\frac{1}{2}$  SE $\frac{1}{4}$  SE $\frac{1}{4}$  (20 ac.), and the S $\frac{1}{2}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$  (20 ac.) Section 2, T5N, R66E, M.D.M. (Lincoln Co.)
8. Existing place of use (6.44 Ac.) SW $\frac{1}{4}$  NE $\frac{1}{4}$  of Section 29, T6N, R66E, M.D.M. (Lincoln Co.)
9. Use will be from January 1st to December 31st of each year.
10. Use was permitted from January 1st to December 31st of each year.
11. Description of proposed works Well drilled and cased to a depth sufficient to serve 1300 foot electrical rotaray pivot system of your diversion or storage works.)
12. Estimated cost of works \$40,000.00 (Forty thousand dollars)
13. Estimated time required to construct works Well completed. Drilled and cased with 12" casing - Equipped with 75 HP Electrical Motor ---- Serial No. GE 008346 --- Goulds Pump
14. Estimated time required to complete the application of water to beneficial use 1 Year
15. Remarks: N/A

By s/Frank C. Hulse  
FRANK C. HULSE, AGENT  
OWENS SURVEYING  
BOX 540  
PIOCHE, NEVADA 89043

Compared my/BK dl/bk

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 22557, Certificate 7555 is issued subject to the terms and conditions imposed in said Permit 22557, Certificate 7555 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a measuring device must be installed in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 63114, 63118 and 63342 shall not exceed 505.76 acre-feet annually for the irrigation of 126.44 acres within the described place of use.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1087 cubic feet per second, but not to exceed 25.76 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

June 21, 2000

Proof of completion of work shall be filed before:

July 21, 2000

Application of water to beneficial use shall be filed on or before:

June 21, 2001

Proof of the application of water to beneficial use shall be filed on or before:

July 21, 2001

Map in support of proof of beneficial use shall be filed on or before:

July 21, 2001

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,

this 13th day of July, A.D. 1999

  
State Engineer

Completion of work filed JAN 18 2000

Proof of beneficial use filed JUL 27 2001

Cultural map filed JUL 27 2001

Certificate No. 15929 Issued NOV 14 2001